

0.3 m | 1 ft Flat Panel Antenna, Dual-polarized, 5.15-5.85GHz

FPD1-5-24



The FP Flat Panel Series by RadioWaves offers a full line of high performance flat panel antennas engineered for superior performance within a low profile aesthetically pleasing form factor. Ideal for Point to Point applications where form factor is a concern, RadioWaves field-proven pre-assembled antennas and robust easy to install mounting system ensure “set and forget” installation with minimal post-installation maintenance. If it’s rugged, it must be RadioWaves!

FEATURES AND BENEFITS

- High Performance Flat Panel Antennas – Excellent performance in an aesthetically pleasing form factor
- Fully Preassembled at the Factory – Simplifies installation on site and guarantees “factory-tested” quality

SPECIFICATIONS

General

Antenna Type	Flat Panel Antenna
Size, nominal	1 ft 0.3 m
Polarization	Dual

Standard RF Connector Type	N-Female
Standard RF Connector Suffix	Not Applicable: No model number suffix required

Electrical

Operating Frequency Band	5.15 - 5.85 GHz
Half Power Beamwidth, Horizontal	20 degrees
Half Power Beamwidth, Vertical	20 degrees
Cross-Polarization Discrimination	20 dB
Front to Back Ratio (F/B)	40 dB

Gain, Low Frequency	22.4 dBi
Gain, Mid Frequency	23 dBi
Gain, High Frequency	23.5 dBi
VSWR	1.7:1
Return Loss	-12 dB

Mechanical

Fine Elevation Adjustment	+/- 10 degrees
Mounting Pipe Diameter, Min	2 inch 5.09 cm
Mounting Pipe Diameter, Max	2.5 inch 6.4 cm
Net Weight	5 lbs 2.3 kg
Wind Velocity Operational	90 mph 145 km/h
Wind Velocity Survival Rating	125 mph 201 km/h

Mechanical Configuration	FPD1-5-24
Axial Force (FA)	49 lbs 220 N
Side Force (FS)	0 lbs 0 N
Twisting Moment (MT)	0 ft-lbs 0 Nm
Operating Temperature Range	-40 to +60 C

Regulatory Compliance

FCC	undeclared
Industry Canada Compliance	undeclared

ETSI	undeclared
RoHS-compliant	Yes

Shipping Information

Package Type	Cardboard
Gross Weight	8 lbs 3.6 kg

Dimensions, L x W x H	16 x 16 x 5in 40 x 40 x 12 cm
Shipping Volume	0.7 cu ft 0.02 cu m

*Additional OEM interfaces and adapters may be available. Contact RadioWaves for a complete and current list of available adapters.

TECHNICAL DRAWINGS

